

Ingredient	Amount
fumaric acid	0.5 g
sodium chloride	2.0 g
methyl paraben	0.15 g
propyl paraben	0.05 g
granulated sugar	25.5 g
sorbitol (70% solution)	12.85 g
Veegum K (Vanderbilt Co.)	1.0 g
Flavoring	0.035 mL
Colorings	0.5 mg
distilled water	q.s. to 100 mL

#### Injectable Formulation

The following ingredients are mixed to form an injectable formulation.

Ingredient	Amount
compound of this invention	1.2 g
sodium acetate buffer solution	0.4 M 2.0 mL
HCl (1 N) or NaOH (1 M)	q.s. to suitable pH
water (distilled, sterile)	q.s. to 20 mL

[00492] All of the above ingredients, except water, are combined and heated to 60-70.degree. C. with stirring. A sufficient quantity of water at 60.degree. C. is then added with vigorous stirring to emulsify the ingredients, and water then added q.s. to 100 g.

#### Suppository Formulation

[00493] A suppository of total weight 2.5 g is prepared by mixing the compound of the invention with Witepsol.RTM. H-15 (triglycerides of saturated vegetable fatty acid; Riches-Nelson, Inc., New York), and has the following composition:


Ingredient	Quantity per tablet, mg
compound of this invention	500
Witepsol® H-15	balance

[00494] The foregoing invention has been described in some detail by way of illustration and example, for purposes of clarity and understanding. The invention has been described with reference to various embodiments and techniques. However, it should be understood that many variations and modifications may be made while

remaining within the spirit and scope of the invention. It will be obvious to one of skill in the art that changes and modifications may be practiced within the scope of the appended claims. Therefore, it is to be understood that the above description is intended to be illustrative and not restrictive. All patents, patent applications and publications cited in this application are hereby incorporated by reference in their entirety for all purposes to the same extent as if each individual patent, patent application or publication were so individually denoted.

**We claim:**

1. A method of treating cancer which method comprises administering to a patient a therapeutically effective amount of a compound of Formula I:



I

or a pharmaceutically acceptable salt or solvate, thereof; or administering a pharmaceutical composition comprising a therapeutically effective amount of a compound of Formula I and a pharmaceutically acceptable carrier, excipient, or diluent in combination with one or more treatment(s) selected from surgery, one or more chemotherapeutic agent(s), one or more hormone therapy(s), one or more antibody(s), hypothermia therapy, radioactive iodine therapy, and radiation; wherein the Compound of Formula I is that where A, X, R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup>, and R<sup>7</sup> are as defined in Group A, Group B, Group C, or Group D:

**Group A:**

A is arylene optionally substituted with one, two, three or four groups selected from R<sup>10</sup>, R<sup>12</sup>, R<sup>14</sup>, and R<sup>16</sup> where R<sup>10</sup>, R<sup>12</sup>, R<sup>14</sup> and R<sup>16</sup> are independently hydrogen, alkyl, alkenyl, alkynyl, halo, haloalkoxy, hydroxy, alkoxy, amino, alkylamino, dialkylamino, haloalkyl, -NHS(O)<sub>2</sub>R<sup>8</sup>, -CN, -C(O)R<sup>8</sup>, -C(O)OR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8</sup> and -NR<sup>8</sup>C(O)R<sup>8</sup>;

X is alkyl, halo, haloalkyl, or haloalkoxy;

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are independently hydrogen, halo, nitro, -NR<sup>8</sup>R<sup>8</sup>, -OR<sup>8</sup>, -NHS(O)<sub>2</sub>R<sup>8</sup>, -CN, -S(O)<sub>m</sub>R<sup>8</sup>, -S(O)<sub>2</sub>NR<sup>8</sup>R<sup>8</sup>, -C(O)R<sup>8</sup>, -C(O)OR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8</sup>, -NR<sup>8</sup>C(O)OR<sup>8</sup>, -NR<sup>8</sup>C(O)NR<sup>8</sup>R<sup>8</sup>, -NR<sup>8</sup>C(O)OR<sup>8</sup>, -NR<sup>8</sup>C(O)R<sup>8</sup>, -CH<sub>2</sub>N(R<sup>25</sup>)(NR<sup>25a</sup>R<sup>25b</sup>), -CH<sub>2</sub>NR<sup>25</sup>C(=NH)(NR<sup>25a</sup>R<sup>25b</sup>), -CH<sub>2</sub>NR<sup>25</sup>C(=NH)(NR<sup>25a</sup>(NO<sub>2</sub>)), -CH<sub>2</sub>NR<sup>25</sup>C(=NH)(NR<sup>25a</sup>(CN)), -CH<sub>2</sub>NR<sup>25</sup>C(=NH)(R<sup>25</sup>), -CH<sub>2</sub>NR<sup>25</sup>C(NR<sup>25a</sup>R<sup>25b</sup>)=CH(NO<sub>2</sub>), alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two, three, four, five, six or seven groups

independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl,  $-OR^8$ ,  $-NR^8R^8$ ,  $-NR^8S(O)_2R^9$ ,  $-CN$ ,  $-S(O)_mR^9$ ,  $-C(O)R^8$ ,  $-C(O)OR^8$ ,  $-C(O)NR^8R^8$ ,  $-NR^8C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$  and  $-NR^8C(O)R^8$ ; or one of  $R^1$  and  $R^2$  together with the carbon to which they are attached,  $R^3$  and  $R^4$  together with the carbon to which they are attached, and  $R^5$  and  $R^6$  together with the carbon to which they are attached form  $C(O)$  or  $C(=NOH)$ ;

$m$  is 0, 1, or 2;

$R^7$  is hydrogen, halo or alkyl;

$R^8$ ,  $R^8$  and  $R^8$  are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl; where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, alkoxy carbonyl, alkenyloxy carbonyl, optionally substituted cycloalkyl, optionally substituted cycloalkyloxy carbonyl, optionally substituted aryl, optionally substituted aryloxy, optionally substituted aryloxy carbonyl, optionally substituted arylalkyl, optionally substituted arylalkyloxy, optionally substituted arylalkyloxy carbonyl, nitro, cyano, optionally substituted heterocycloalkyl, optionally substituted heteroaryl,  $-S(O)_nR^{31}$  (where  $n$  is 0, 1, or 2 and  $R^{31}$  is optionally substituted alkyl, optionally substituted aryl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl),  $-NR^{34}SO_2R^{34a}$  (where  $R^{34}$  is hydrogen or alkyl and  $R^{34a}$  is alkyl, alkenyl, cycloalkyl, aryl, heteroaryl, or heterocycloalkyl),  $-SO_2NR^{35}R^{35a}$  (where  $R^{35}$  is hydrogen or alkyl and  $R^{35a}$  is alkyl, alkenyl, cycloalkyl, aryl, heteroaryl, or heterocycloalkyl),  $-NR^{32}C(O)R^{32a}$  (where  $R^{32}$  is hydrogen or alkyl and  $R^{32a}$  is alkyl, alkenyl, alkoxy, or cycloalkyl),  $-NR^{30}R^{30'}$  (where  $R^{30}$  and  $R^{30'}$  are independently hydrogen, alkyl, or hydroxyalkyl), and  $-C(O)NR^{33}R^{33a}$  (where  $R^{33}$  is hydrogen or alkyl and  $R^{33a}$  is alkyl, alkenyl, alkynyl, or cycloalkyl);

$R^9$  is alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl; where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl

are independently optionally substituted with one, two, three, four, or five groups selected from halo, hydroxy, alkyl, haloalkyl, haloalkoxy, amino, alkylamino, and dialkylamino;

$R^{25}$  and  $R^{25b}$  are independently hydrogen, alkyl, alkenyl, optionally substituted cycloalkyl, or optionally substituted aryl; and

$R^{25a}$  is hydrogen, alkyl, or alkenyl;

Group B:

A is heteroarylene optionally substituted with one, two, three, or four groups selected from  $R^{10}$ ,  $R^{12}$ ,  $R^{14}$ ,  $R^{16}$  and  $R^{19}$  where  $R^{10}$ ,  $R^{12}$ ,  $R^{14}$  and  $R^{16}$  are independently hydrogen, alkyl, alkenyl, alkynyl, halo, haloalkoxy, hydroxy, alkoxy, cyano, amino, alkylamino, dialkylamino, haloalkyl, alkylsulfonylamino, alkylcarbonyl, alkenylcarbonyl, alkoxycarbonyl, alkenyloxycarbonyl, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, or alkylcarbonylamino; where  $R^{19}$  is hydrogen, alkyl, or alkenyl; and where each alkyl and alkenyl, either alone or as part of another group within  $R^{10}$ ,  $R^{12}$ ,  $R^{14}$ ,  $R^{16}$ , and  $R^{19}$  is independently optionally substituted with halo, hydroxy, or alkoxy;

X is alkyl, halo, haloalkyl, or haloalkoxy;

$R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$  and  $R^6$  are independently hydrogen, halo, nitro,  $-NR^8R^8$ ,  $-OR^8$ ,  $-NHS(O)_2R^8$ ,  $-CN$ ,  $-S(O)_mR^8$ ,  $-S(O)_2NR^8R^8$ ,  $-C(O)R^8$ ,  $-C(O)OR^8$ ,  $-C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$ ,  $-NR^8C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$ ,  $-NR^8C(O)R^8$ ,  $-CH_2N(R^{25})(NR^{25a}R^{25b})$ ,  $-CH_2NR^{25}C(=NH)(NR^{25a}R^{25b})$ ,  $-CH_2NR^{25}C(=NH)(N(R^{25a})(NO_2))$ ,  $-CH_2NR^{25}C(=NH)(N(R^{25a})(CN))$ ,  $-CH_2NR^{25}C(=NH)(R^{25})$ ,  $-CH_2NR^{25}C(NR^{25a}R^{25b})=CH(NO_2)$ , alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two, three, four, five, six or seven groups independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl,  $-OR^8$ ,  $-NR^8R^8$ ,  $-NR^8S(O)_2R^9$ ,  $-CN$ ,  $-S(O)_mR^9$ ,  $-C(O)R^8$ ,  $-C(O)OR^8$ ,  $-C(O)NR^8R^8$ ,  $-NR^8C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$  and  $-NR^8C(O)R^8$ ; or one of  $R^1$  and  $R^2$  together with the carbon to which they are attached,  $R^3$  and  $R^4$  together with

the carbon to which they are attached, and  $R^5$  and  $R^6$  together with the carbon to which they are attached form  $C(O)$  or  $C(=NOH)$ ;


m is 1 or 2;

$R^7$  is hydrogen, halo or alkyl; and

$R^8$ ,  $R^{8'}$  and  $R^{8''}$  are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, haloalkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl, where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, carboxy ester, nitro, cyano,  $-S(O)_nR^{31}$  (where n is 0, 1, or 2 and  $R^{31}$  is optionally substituted alkyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl),  $-NR^{36}S(O)_2R^{36a}$  (where  $R^{36}$  is hydrogen, alkyl, or alkenyl and  $R^{36a}$  is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl),  $-S(O)_2NR^{37}R^{37a}$  (where  $R^{37}$  is hydrogen, alkyl, or alkenyl and  $R^{37a}$  is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted aryloxy, optionally substituted arylalkyloxy, optionally substituted heteroaryl,  $-NHC(O)R^{32}$  (where  $R^{32}$  is alkyl, alkenyl, alkoxy, or cycloalkyl) and  $-NR^{30}R^{30'}$  (where  $R^{30}$  and  $R^{30'}$  are independently hydrogen, alkyl, or hydroxyalkyl), and  $-C(O)NHR^{33}$  (where  $R^{33}$  is alkyl, alkenyl, alkynyl, or cycloalkyl);

#### Group C:

A is



where  $R^{10}$  is hydrogen, alkyl, alkenyl, alkynyl, halo, haloalkoxy, hydroxy, alkoxy, amino, alkylamino, dialkylamino, haloalkyl,  $-NHS(O)_2R^8$ ,  $-CN$ ,  $-C(O)R^8$ ,  $-C(O)OR^8$ ,  $-C(O)NR^8R^8$  and  $-NR^8C(O)R^8$ ;

$R^{10a}$  is hydrogen, alkyl, or alkenyl;

$Y^1$  is  $=CH-$  or  $=N-$ ;

X is alkyl, halo, haloalkyl, or haloalkoxy;

$R^1$ ,  $R^2$ ,  $R^3$ ,  $R^5$  and  $R^6$  are independently hydrogen, halo, nitro,  $-NR^8R^8$ ,  $-OR^8$ ,  $-NHS(O)_2R^8$ ,  $-CN$ ,  $-S(O)_mR^8$ ,  $-S(O)_2NR^8R^8$ ,  $-C(O)R^8$ ,  $-C(O)OR^8$ ,  $-C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$ ,  $-NR^8C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$ ,  $-NR^8C(O)R^8$ ,  $-CH_2N(R^{25})(NR^{25a}R^{25b})$ ,  $-CH_2NR^{25}C(=NH)(NR^{25a}R^{25b})$ ,  $-CH_2NR^{25}C(=NH)(N(R^{25a})(NO_2))$ ,  $-CH_2NR^{25}C(=NH)(N(R^{25a})(CN))$ ,  $-CH_2NR^{25}C(=NH)(R^{25})$ ,  $-CH_2NR^{25}C(NR^{25a}R^{25b})=CH(NO_2)$ , alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl, alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two, three, four, five, six or seven groups independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl,  $-OR^8$ ,  $-NR^8R^8$ ,  $-NR^8S(O)_2R^9$ ,  $-CN$ ,  $-S(O)_mR^9$ ,  $-C(O)R^8$ ,  $-C(O)OR^8$ ,  $-C(O)NR^8R^8$ ,  $-NR^8C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$  and  $-NR^8C(O)R^8$ ; or one of  $R^1$  and  $R^2$  together with the carbon to which they are attached,  $R^3$  and  $R^4$  together with the carbon to which they are attached, and  $R^5$  and  $R^6$  together with the carbon to which they are attached form  $C(O)$  or  $C(=NOH)$ ;

m is 1 or 2;

$R^7$  is hydrogen, halo or alkyl; and

$R^8$ ,  $R^8$  and  $R^{8*}$  are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, haloalkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl, where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, carboxy ester, nitro, cyano,  $-S(O)_nR^{31}$  (where n is 0, 1, or 2 and  $R^{31}$  is optionally substituted alkyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl,

or optionally substituted heteroaryl),  $-\text{NR}^{36}\text{S}(\text{O})_2\text{R}^{36a}$  (where  $\text{R}^{36}$  is hydrogen, alkyl, or alkenyl and  $\text{R}^{36a}$  is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl),  $-\text{S}(\text{O})_2\text{NR}^{37}\text{R}^{37a}$  (where  $\text{R}^{37}$  is hydrogen, alkyl, or alkenyl and  $\text{R}^{37a}$  is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted aryloxy, optionally substituted arylalkyloxy, optionally substituted heteroaryl,  $-\text{NHC}(\text{O})\text{R}^{32}$  (where  $\text{R}^{32}$  is alkyl, alkenyl, alkoxy, or cycloalkyl) and  $-\text{NR}^{30}\text{R}^{30'}$  (where  $\text{R}^{30}$  and  $\text{R}^{30'}$  are independently hydrogen, alkyl, or hydroxyalkyl), and  $-\text{C}(\text{O})\text{NHR}^{33}$  (where  $\text{R}^{33}$  is alkyl, alkenyl, alkynyl, or cycloalkyl); or

Group D:

A is



(b) or



(c)

$\text{R}^{40}$  and  $\text{R}^{40a}$  are independently hydrogen or alkyl;

X is alkyl, halo, haloalkyl, or haloalkoxy;

$\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$ ,  $\text{R}^4$  and  $\text{R}^6$  are independently hydrogen, halo, nitro,  $-\text{NR}^8\text{R}^{8'}$ ,  $-\text{OR}^8$ ,

$-\text{NHS}(\text{O})_2\text{R}^8$ ,  $-\text{CN}$ ,  $-\text{S}(\text{O})_m\text{R}^8$ ,  $-\text{S}(\text{O})_2\text{NR}^8\text{R}^{8'}$ ,  $-\text{C}(\text{O})\text{R}^8$ ,  $-\text{C}(\text{O})\text{OR}^8$ ,

$-\text{C}(\text{O})\text{NR}^8\text{R}^{8'}$ ,  $-\text{NR}^8\text{C}(\text{O})\text{OR}^{8'}$ ,  $-\text{NR}^8\text{C}(\text{O})\text{NR}^8\text{R}^{8'}$ ,  $-\text{NR}^8\text{C}(\text{O})\text{OR}^{8'}$ ,

$-\text{NR}^8\text{C}(\text{O})\text{R}^{8'}$ ,  $-\text{CH}_2\text{N}(\text{R}^{25})(\text{NR}^{25a}\text{R}^{25b})$ ,  $-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{NR}^{25a}\text{R}^{25b})$ ,

$-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{N}(\text{R}^{25a})(\text{NO}_2))$ ,  $-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{N}(\text{R}^{25a})(\text{CN}))$ ,

$-\text{CH}_2\text{NR}^{25}\text{C}(=\text{NH})(\text{R}^{25})$ ,  $-\text{CH}_2\text{NR}^{25}\text{C}(\text{NR}^{25a}\text{R}^{25b})=\text{CH}(\text{NO}_2)$ , alkyl, alkenyl,

alkynyl, cycloalkyl, heteroaryl, or heterocycloalkyl, where the alkyl, alkenyl,

alkynyl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently



optionally substituted with one, two, three, four, five, six or seven groups independently selected from halo, alkyl, haloalkyl, nitro, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted heteroaryl,  $-OR^8$ ,  $-NR^8R^8$ ,  $-NR^8S(O)_2R^9$ ,  $-CN$ ,  $-S(O)_mR^9$ ,  $-C(O)R^8$ ,  $-C(O)OR^8$ ,  $-C(O)NR^8R^8$ ,  $-NR^8C(O)NR^8R^8$ ,  $-NR^8C(O)OR^8$  and  $-NR^8C(O)R^8$ ; or one of  $R^1$  and  $R^2$  together with the carbon to which they are attached,  $R^3$  and  $R^4$  together with the carbon to which they are attached, and  $R^5$  and  $R^6$  together with the carbon to which they are attached form  $C(O)$  or  $C(=NOH)$ ;

$m$  is 1 or 2;

$R^7$  is hydrogen, halo or alkyl; and

$R^8$ ,  $R^8$  and  $R^8$  are independently selected from hydrogen, hydroxy, optionally substituted alkoxy, alkyl, haloalkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl, where the alkyl, alkenyl, alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl are independently optionally substituted with one, two three, four, or five groups independently selected from alkyl, halo, hydroxy, hydroxyalkyl, optionally substituted alkoxy, alkoxyalkyl, haloalkyl, carboxy, carboxy ester, nitro, cyano,  $-S(O)_nR^{31}$  (where  $n$  is 0, 1, or 2 and  $R^{31}$  is optionally substituted alkyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl),  $-NR^{36}S(O)_2R^{36a}$  (where  $R^{36}$  is hydrogen, alkyl, or alkenyl and  $R^{36a}$  is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl),  $-S(O)_2NR^{37}R^{37a}$  (where  $R^{37}$  is hydrogen, alkyl, or alkenyl and  $R^{37a}$  is alkyl, alkenyl, optionally substituted aryl, optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, or optionally substituted heteroaryl), optionally substituted cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted arylalkyl, optionally substituted aryloxy, optionally substituted arylalkyloxy, optionally substituted heteroaryl,  $-NHC(O)R^{32}$  (where  $R^{32}$  is alkyl, alkenyl, alkoxy, or cycloalkyl) and  $-NR^{30}R^{30}$  (where  $R^{30}$  and  $R^{30}$  are independently hydrogen, alkyl, or hydroxyalkyl), and  $-C(O)NHR^{33}$  (where  $R^{33}$  is alkyl, alkenyl, alkynyl, or cycloalkyl).

2. The method of claim 1 where the cancer is melanoma, colon cancer, rectal cancer, pancreatic cancer, breast cancer, non-small cell lung cancer, small cell lung cancer, papillary thyroid cancer, anaplastic thyroid cancer, endometrial cancer, or ovarian cancer.
3. The method according Claim 1 or 2 of treating cancer which method comprises administering to a patient a therapeutically effective amount of a compound of Formula I or a pharmaceutically acceptable salt or solvate, thereof; or administering a pharmaceutical composition comprising a therapeutically effective amount of a compound of Formula I and a pharmaceutically acceptable carrier, excipient, or diluent in combination with one or more chemotherapeutic agent(s).
4. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from a taxane(s), a platin(s), a topoisomerase inhibitor(s), an alkylating agent(s), an antimetabolite(s), an antimicrotubule agent(s), and a bcr-abl inhibitor(s).
5. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from rapamycin, carboplatin, cisplatin, oxaliplatin, gemcitabine, dacarbazine, topotecan, irinotecan, sorafenib, paclitaxel, and docetaxel.
6. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an AKT inhibitor.
7. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is a cMET inhibitor.
8. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from

<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[3-fluoro-4-(7 <i>H</i> -pyrrolo[2,3- <i>d</i> ]pyrimidin-4-yloxy)phenyl]propanediamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[3-fluoro-4-(7 <i>H</i> -pyrrolo[2,3- <i>d</i> ]pyrimidin-4-yloxy)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -{[3-fluoro-4-(7 <i>H</i> -pyrrolo[2,3- <i>d</i> ]pyrimidin-4-yloxy)phenyl]amino}carbonothioyl]-2-phenylacetamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(4-{[1-(tetrahydro-2 <i>H</i> -pyran-2-yl)-1 <i>H</i> -pyrazolo[3,4- <i>d</i> ]pyrimidin-4-yl]oxy}phenyl)cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N</i> -{[(4-{[1-(tetrahydro-2 <i>H</i> -pyran-2-yl)-1 <i>H</i> -pyrazolo[3,4- <i>d</i> ]pyrimidin-4-yl]oxy}phenyl)amino]carbonothioyl}acetamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[4-(1 <i>H</i> -pyrazolo[3,4- <i>d</i> ]pyrimidin-4-yloxy)phenyl]cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N</i> -{[4-(1 <i>H</i> -pyrazolo[3,4- <i>d</i> ]pyrimidin-4-yloxy)phenyl]amino}carbonothioyl}acetamide

<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(4-{{[9-(tetrahydro-2 <i>H</i> -pyran-2-yl)-9 <i>H</i> -purin-6-yl]oxy}phenyl}cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N'</i> -{{[4-{{[9-(tetrahydro-2 <i>H</i> -pyran-2-yl)-9 <i>H</i> -purin-6-yl]oxy}phenyl]amino}carbonothioyl}acetamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -[4-(9 <i>H</i> -purin-6-yloxy)phenyl]cyclopropane-1,1-dicarboxamide
2-phenyl- <i>N'</i> -{{[4-(9 <i>H</i> -purin-6-yloxy)phenyl]amino}carbonothioyl}acetamide
<i>N</i> -(3-fluoro-4-{{[6-{{[2-morpholin-4-ylethyl]amino}carbonyl]-7 <i>H</i> -pyrrolo[2,3- <i>d</i> ]pyrimidin-4-yl]oxy}phenyl}- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -{{[3-fluoro-4-{{[6-(methyloxy)-7-{{[3a <i>R</i> ,6a <i>S</i> ]-octahydrocyclopenta[ <i>c</i> ]pyrrol-5-yl]methyloxy}quinazolin-4-yl]oxy}phenyl]amino}carbonothioyl}-2-phenylacetamide
<i>N</i> -{{[3-fluoro-4-{{[7-{{[3a <i>R</i> ,6a <i>S</i> ]-2-methyloctahydrocyclopenta[ <i>c</i> ]pyrrol-5-yl]methyl]oxy}-6-(methyloxy)quinazolin-4-yl]oxy}phenyl]amino}carbonothioyl}-2-phenylacetamide
<i>N</i> -{{[4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl]methyl]amino}carbonothioyl}-2-phenylacetamide
1-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}imidazolidin-2-one
1-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}-3-(phenylmethyl)imidazolidin-2-one
1-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}-3-(phenylacetyl)imidazolidin-2-one
ethyl {{[4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl]amino}(oxo)acetate
<i>N'</i> -{{[4-{{[6,7-bis(methyloxy)quinazolin-4-yl]amino}-3-fluorophenyl]amino}carbonothioyl}-2-phenylacetamide
<i>N'</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -methyl- <i>N</i> -(2-phenylethyl)sulfamide
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}-3-(phenylmethyl)-1,2,4-oxadiazol-5-amine
1-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}piperidin-2-one
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(phenylmethyl)ethanediamide
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}-4-phenyl-1,3-thiazol-2-amine
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N'</i> -(2-phenylethyl)ethanediamide
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}-1-phenylmethanesulfonamide
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}-2-phenylethanesulfonamide
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N'</i> -(phenylmethyl)benzenesulfonamide
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -methyl- <i>N'</i> -(phenylmethyl)benzenesulfonamide
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -(2-phenylethyl)benzenesulfonamide
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -methyl- <i>N</i> -(2-phenylethyl)benzenesulfonamide
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -(3-phenylpropyl)benzenesulfonamide

1-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}pyrrolidin-2-one
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl (phenylmethyl)carbamate
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}phenyl (2-phenylethyl)carbamate
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -methyl- <i>N</i> -(3-phenylpropyl)benzenesulfonamide
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl})- <i>N</i> -phenylethanediamide
<i>N</i> -{{[(3-fluoro-4-{{[7-{{(2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy}-6-(methyloxy)quinolin-4-yl]oxy}phenyl]amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -{{[(Z)-{(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl]amino}(imino)methyl]-2-phenylacetamide
4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluoro- <i>N</i> -(2-(phenyloxy)ethyl)benzenesulfonamide
<i>N</i> , <i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl})-bis-(3-phenylpropane-1-sulfonamide)
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl})-3-phenylpropane-1-sulfonamide
<i>N</i> <sup>2</sup> -{(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)sulfonyl}- <i>N</i> <sup>1</sup> -phenylglycinamide
<i>N</i> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl})-2-phenylacetamide
<i>N</i> -{{[[6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl]amino]carbonothioyl}-2-phenylacetamide
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-1,3-benzothiazol-2-amine
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-amine
<i>N</i> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl})-2-phenylacetamide
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl})- <i>N</i> -(2-morpholin-4-ylethyl)ethanediamide
benzyl-{{[4-(6,7-dimethoxy-quinolin-4-yloxy)-3-fluoro-phenylcarbamoyl]-methyl}-carbamic acid tert-butyl ester
<i>N</i> <sup>1</sup> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl})- <i>N</i> <sup>2</sup> -(phenylmethyl)glycinamide
<i>N</i> <sup>2</sup> -acetyl- <i>N</i> <sup>1</sup> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl})- <i>N</i> <sup>2</sup> -(phenylmethyl)glycinamide
<i>N</i> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-1,3-benzothiazol-2-yl})-2-phenylacetamide
benzyl-{{[6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]carbamoyl]-methyl}-carbamic acid tert-butyl ester
<i>N</i> <sup>1</sup> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl})- <i>N</i> <sup>2</sup> -(phenylmethyl)glycinamide
<i>N</i> <sup>2</sup> -acetyl- <i>N</i> <sup>1</sup> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl})- <i>N</i> <sup>2</sup> -(phenylmethyl)glycinamide
<i>N</i> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl})-3-phenylpropanamide
<i>N</i> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl})-4-phenylbutanamide
<i>N</i> <sup>1</sup> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl})- <i>N</i> <sup>2</sup> -methyl- <i>N</i> <sup>2</sup> -(phenylmethyl)glycinamide
<i>N</i> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl})- <i>N</i> -(2-[4-(methyloxy)phenyl]ethyl)ethanediamide

<i>N</i> <sup>1</sup> -4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N</i> <sup>2</sup> -methyl- <i>N</i> <sup>2</sup> -(phenylmethyl)glycinamide
4-[(2-amino-1,3-benzothiazol-6-yl)oxy]-6,7-bis(methyloxy)-1-(2-oxo-2-phenylethyl)quinolinium
<i>N</i> -{[(4-{[6,7-bis(methyloxy)quinolin-4-yl]amino}phenyl)amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-3-phenylpropanamide
<i>N</i> -{[(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)amino]carbonothioyl}-2-phenylacetamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -(2,3-dihydro-1 <i>H</i> -inden-1-yl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -(2,3-dihydro-1 <i>H</i> -inden-2-yl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -(1,2,3,4-tetrahydronaphthalen-1-yl)ethanediamide
<i>N</i> <sup>2</sup> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> -(2-phenylethyl)- <i>N</i> -(phenylmethyl)sulfamide
<i>N</i> <sup>2</sup> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -(trifluoroacetyl)glycinamide
<i>N</i> -{[4-(6,7-dimethoxy-quinolin-4-yloxy)-3-fluoro-phenyl]carbamoyl]-methyl}-benzamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}pyridin-3-yl)- <i>N</i> <sup>2</sup> -(4-fluorophenyl)propanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -[(2 <i>S</i> )-1,2,3,4-tetrahydronaphthalen-2-yl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -[2-(4-methylphenyl)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -(2-phenylpropyl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -[2-(4-chlorophenyl)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -bis(phenylmethyl)sulfamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> , <i>N</i> <sup>2</sup> -bis(2-phenylethyl)sulfamide
ethyl [(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)amino](oxo)acetate
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> <sup>2</sup> -(2-phenylethyl)ethanediamide
<i>N</i> -(6-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)- <i>N</i> <sup>2</sup> -(4-fluorophenyl)propanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -(1,2,3,4-tetrahydronaphthalen-2-yl)ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -[2-(1-methylpyrrolidin-2-yl)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -[2-(phenyloxy)ethyl]ethanediamide
<i>N</i> -(4-{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)- <i>N</i> <sup>2</sup> -[2-hydroxy-1-

(phenylmethyl)ethyl]urea
1-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl}-3-[[4-methylphenyl)sulfonyl]-4-(phenylmethyl)imidazolidin-2-one
N-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N-methyl-N-(2-phenylethyl)ethanediamide
N-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N-{{[3-(trifluoromethyl)phenyl]methyl}ethanediamide
N-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N-(2-[3-(trifluoromethyl)phenyl]ethyl)ethanediamide
N-(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)-3-oxo-4-phenylbutanamide
N-(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)-2-[3-(trifluoromethyl)phenyl]acetamide
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-N-[2-(phenyloxy)ethyl]-1,3-benzothiazol-2-amine
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-N-(2-piperidin-1-ylethyl)-1,3-benzothiazol-2-amine
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-N-methyl-N-(2-phenylethyl)-1,3-benzothiazol-2-amine
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-N-(2-pyrrolidin-1-ylethyl)-1,3-benzothiazol-2-amine
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-N-{{[3-(trifluoromethyl)phenyl]methyl}-1,3-benzothiazol-2-amine
6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-N-(2-[3-(trifluoromethyl)phenyl]ethyl)-1,3-benzothiazol-2-amine
N-(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)-N-{{[3-(trifluoromethyl)phenyl]propanediamide
N-(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-2-[3-(trifluoromethyl)phenyl]acetamide
N <sup>1</sup> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N <sup>2</sup> -{{[3-(trifluoromethyl)phenyl]methyl}glycinamide
N <sup>1</sup> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N <sup>2</sup> -(2-phenylethyl)glycinamide
N <sup>1</sup> -(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N <sup>2</sup> -(2-[3-(trifluoromethyl)phenyl]ethyl)glycinamide
benzyl-{{[5-chloro-6-(6,7-dimethoxyquinolin-4-yloxy)-pyridin-3-ylcarbamoyl]-methyl}-carbamate tert-butyl ester
N <sup>1</sup> -(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-chloropyridin-3-yl)-N <sup>2</sup> -(phenylmethyl)glycinamide
N-(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-2-[3,5-bis(trifluoromethyl)phenyl]acetamide
N-(6-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-5-fluoro-1,3-benzothiazol-2-yl)-2-[2-chloro-5-(trifluoromethyl)phenyl]acetamide
N-(3-fluoro-4-{{[6-(methyloxy)-7-{{[(1-methylpiperidin-4-yl)methyl]oxy}quinolin-4-yl]oxy}phenyl)-N-(2-phenylethyl)ethanediamide
N-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N <sup>1</sup> -(1,2,3,4-tetrahydroisoquinolin-1-yl)methyl)ethanediamide
N-(4-{{[6,7-bis(methyloxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N <sup>1</sup> -[(2-methyl-1,2,3,4-tetrahydroisoquinolin-1-yl)methyl]ethanediamide

$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- $N^2$ -methyl- $N^2$ -{[3-(trifluoromethyl)phenyl]methyl}glycinamide
$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- $N^2$ -methyl- $N^2$ -{2-[3-(trifluoromethyl)phenyl]ethyl}glycinamide
$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- $N^2$ -methyl- $N^2$ -(2-phenylethyl)glycinamide
1-(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)-4-(phenylmethyl)imidazolidin-2-one
$N$ -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)pyridazin-3-yl)- $N'$ -(4-fluorophenyl)propanediamide
$N$ -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- $N'$ -(2-chlorophenyl)propanediamide
$N$ -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- $N'$ -(3-chlorophenyl)propanediamide
$N^1$ -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- $N^2$ -methyl- $N^2$ -(phenylmethyl)glycinamide
$N$ -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- $N'$ -(4-chlorophenyl)propanediamide
(2 <i>E</i> )- $N$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-2-((methyloxy)imino)propanamide
(2 <i>E</i> )- $N$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-2-((ethyloxy)imino)propanamide
(2 <i>E</i> )- $N$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-2-(((phenylmethyl)oxy)imino)propanamide
$N$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-1-(phenylmethyl)prolinamide
1-(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-3-((4-methylphenyl)sulfonyl)-4-(phenylmethyl)imidazolidin-2-one
1-(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-4-(phenylmethyl)imidazolidin-2-one
$N$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-4-(phenylmethyl)-4,5-dihydro-1,3-oxazol-2-amine
6,7-bis(methyloxy)-4-((4-([4-(phenylmethyl)piperazin-1-yl]phenyl)oxy)quinoline
1-(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)-4-(phenylmethyl)piperazin-2-one
$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- $N^2$ -(phenylmethyl)alaninamide
$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- $N^2$ -methyl- $N^2$ -(phenylmethyl)alaninamide
$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- $N^2$ -(phenylmethyl)leucinamide
$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- $N^2$ -methyl- $N^2$ -(phenylmethyl)leucinamide
$N^1$ -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- $N^2$ -(phenylmethyl)valinamide
4-(6,7-dimethoxy-quinolin-4-ylamino)- $N$ -(3-phenyl-propyl)-benzamide
4-benzyl-1-[4-(6,7-dimethoxy-quinolin-4-yloxy)-phenyl]-tetrahydro-pyrimidin-2-one
$N$ -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- $N'$ -phenethyl-oxalamide
2-(Benzyl-methyl-amino)- $N$ -(4-(6,7-dimethoxy-quinolin-4-yloxy)-phenyl)-3-methyl-

butyramide
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-phenyl]-2-phenoxyimino-propionamide
2-Benzoyloxyimino- <i>N</i> -[4-(6,7-dimethoxy-quinolin-4-yloxy)-phenyl]-2-phenyl-acetamide
4-[4-(4-Benzyl-piperidin-1-yl)-phenoxy]-6,7-dimethoxy-quinoline
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-3-fluoro-phenyl]- <i>N'</i> -(2-isopropyl-1,2,3,4-tetrahydro-isoquinolin-1-ylmethyl)-oxalamide
<i>N</i> -[4-(6,7-Dimethoxy-quinolin-4-yloxy)-3-fluoro-phenyl]- <i>N'</i> -(2-ethyl-1,2,3,4-tetrahydro-isoquinolin-1-ylmethyl)-oxalamide
4-(4-{3-Chloro-5-[2-(4-fluoro-phenylcarbamoyl)-acetylamino]-pyridin-2-yloxy}-6-methoxy-quinolin-7-yloxymethyl)-piperidine-1-carboxylic acid tert-butyl ester
<i>N</i> -{5-Chloro-6-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-pyridin-3-yl}- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -{5-Chloro-6-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-pyridin-3-yl}- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -{4-[7-(3-Diethylamino-propoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(3-morpholin-4-yl-propoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(3-piperidin-1-yl-propoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{4-[7-(2-Diethylamino-ethoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -methyl- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(2-methyl-octahydro-cyclopenta[c]pyrrol-5-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(2-methyl-octahydro-cyclopenta[c]pyrrol-5-ylmethoxy)-quinazolin-4-yloxy]-phenyl}- <i>N'</i> -phenethyl-oxalamide
2-(3,4-Dihydro-1 <i>H</i> -isoquinolin-2-yl)- <i>N</i> -{3-fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-acetamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-2-(3-phenyl-pyrrolidin-1-yl)-acetamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}-2-oxo-2-(2-phenyl-morpholin-4-yl)-acetamide
<i>N</i> -(2-Dimethylamino-2-phenyl-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-oxo-2-phenyl-ethyl)-oxalamide
<i>N</i> -[5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl]-2,2-difluoro- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -Benzyl- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -[2-(2-fluoro-phenyl)-ethyl]-oxalamide
<i>N</i> -[2-(3-Chloro-phenyl)-ethyl]- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -{3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl}- <i>N'</i> -(2-[2-methoxy-phenyl)-ethyl]-oxalamide



<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-pyridin-3-yl-ethyl)-oxalamide
<i>N</i> -Benzyl- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(2,5-Dimethoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-(2-trifluoromethyl-phenyl)-ethyl)-oxalamide
<i>N</i> -(2-(2-Ethoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(2,4-Dimethyl-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1 <i>S</i> -phenyl-2- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -(2-(4-Chloro-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamic acid
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-(3-fluoro-phenyl)-ethyl)-oxalamide
<i>N</i> -(2-(2-Chloro-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-(3-methoxy-phenyl)-ethyl)-oxalamide
<i>N</i> -(1,2-Diphenyl-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(2,4-Dichloro-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(3,4-Dimethoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(4-Ethyl-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(4-Ethoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(4-Ethoxy-3-methoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-(4-phenoxy-phenyl)-ethyl)-oxalamide
<i>N</i> -(2-(3-Ethoxy-4-methoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-pyridin-2-yl-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-pyridin-4-yl-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-(4-fluoro-phenyl)-ethyl)-oxalamide
<i>N</i> -(2-(2-Bromo-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(2-Chloro-6-fluoro-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-

ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -indan-1-yl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -isobutyl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(3-methyl-butyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-phenyl-propyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -indan-2-yl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(1 <i>R</i> -phenyl-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(1 <i>S</i> -phenyl-ethyl)-oxalamide
<i>N</i> -(2-(3-Bromo-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(2,6-Dichloro-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(2,4-Dichloro-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-Benzol[1,3]dioxol-5-yl-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(3-Bromo-4-methoxy-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(3,5-Dimethoxy-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2- <i>o</i> -tolyl-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2- <i>m</i> -tolyl-ethyl)-oxalamide
<i>N</i> -(2-(3-Ethoxy-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(3,4-Dimethyl-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(2,5-Dimethyl-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(3-Chloro-4-propoxy-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(4-Butoxy-3-chloro-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(4- <i>tert</i> -Butyl-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-(4-sulfamoyl-phenyl)-ethyl)-oxalamide

<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-(4-hydroxy-3-methoxy-phenyl)-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-(3-hydroxy-4-methoxy-phenyl)-ethyl)-oxalamide
<i>N</i> -(2,4-Dichloro-benzyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(4-fluoro-2-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(3-fluoro-4-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3-Chloro-4-fluoro-benzyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1-(3-methoxy-phenyl)-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1-naphthalen-2-yl-ethyl)-oxalamide
<i>N</i> -(4-Chloro-3-trifluoromethyl-benzyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(6-trifluoromethyl-pyridin-3-ylmethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-methyl-benzyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(3-methyl-benzyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(4-fluoro-3-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3,5-Dichloro-benzyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1 <i>R</i> ,2,3,4-tetrahydro-naphthalen-1-yl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1 <i>S</i> ,2,3,4-tetrahydro-naphthalen-1-yl)-oxalamide
<i>N</i> -Cyclopentyl- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(1-(4-Bromo-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-Fluoro-benzyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(3,4-Dichloro-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(4-Fluoro-benzyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2,3-Difluoro-benzyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide

(2-phenoxy-ethyl)-oxalamide
<i>N</i> -(2,2-Diphenyl-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-(4-methoxy-phenyl)-ethyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-phenyl-propyl)-oxalamide
<i>N'</i> -(2-(4-Bromo-phenyl)-ethyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N'</i> -(4-[7-(1-Ethyl-piperidin-4-ylmethoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl)-2-oxo-2-(2-phenyl-morpholin-4-yl)-acetamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(3-fluoro-5-trifluoromethyl-benzyl)-oxalamide
<i>N'</i> -(3,5-Difluoro-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N'</i> -(2-Chloro-5-trifluoromethyl-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N'</i> -(4-(6,7-Dimethoxy-quinolin-4-yloxy)-3-fluoro-phenyl)- <i>N'</i> -(2-dimethylamino-2-phenyl-ethyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(4-methoxy-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(4-trifluoromethyl-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(3-methoxy-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(3-trifluoromethyl-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(3-trifluoromethoxy-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-methoxy-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-trifluoromethyl-benzyl)-oxalamide
<i>N'</i> -(3-Chloro-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-trifluoromethoxy-benzyl)-oxalamide
<i>N'</i> -(2-Chloro-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(4-trifluoromethoxy-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(4-methoxy-benzyl)-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(4-trifluoromethyl-benzyl)-oxalamide
<i>N'</i> -(4-[7-(Azetidin-3-ylmethoxy)-6-methoxy-quinolin-4-yloxy]-3-fluoro-phenyl)- <i>N'</i> -phenethyl-oxalamide
<i>N'</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-azetidin-3-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -phenethyl-oxalamide

<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-hydroxy-2-phenyl-ethyl)-oxalamide
<i>N</i> -(5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl)- <i>N'</i> -(2,4-difluoro-phenyl)-malonamide
<i>N</i> -(5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl)- <i>N'</i> -(4-fluoro-phenyl)- <i>N'</i> -methyl-malonamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(1 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(1 <i>R</i> -phenyl-propyl)-oxalamide
<i>N</i> -(3,4-Difluoro-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2,6-Difluoro-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2-(4-fluoro-phenyl)-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -phenyl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(3-fluoro-phenyl)-oxalamide
<i>N</i> -(4-Chloro-3-fluoro-phenyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3,4-Dimethoxy-phenyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(3-methyl-butyl)-oxalamide
<i>N</i> -(3,3-Dimethyl-butyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(5-Chloro-6-[6-methoxy-7-(3-piperidin-1-yl-propoxy)-quinolin-4-yloxy]-pyridin-3-yl)- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -(5-Chloro-6-[6-methoxy-7-(3-morpholin-4-yl-propoxy)-quinolin-4-yloxy]-pyridin-3-yl)- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -(5-Chloro-6-[7-(3-diethylamino-propoxy)-6-methoxy-quinolin-4-yloxy]-pyridin-3-yl)- <i>N'</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -(4-Chloro-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3,5-Dimethoxy-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(4-Butyl-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -(2- <i>p</i> -tolyl-ethyl)-oxalamide
<i>N</i> -(3,5-Bis-trifluoromethyl-benzyl)- <i>N'</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -pyrazin-2-ylmethyl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N'</i> -pyridin-2-ylmethyl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinazolin-4-yloxy]-phenyl)-

<i>N</i> -phenethyl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(1-methyl-piperidin-4-ylmethoxy)-quinazolin-4-yloxy]-phenyl)- <i>N</i> -phenethyl-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-fluoro-3-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(2-(2-Bromo-6-methoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(2-(3,4-Dimethoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -methyl-oxalamide
<i>N</i> -(2-(5-Bromo-2-methoxy-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-fluoro-5-trifluoromethyl-benzyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(1-(4-fluoro-phenyl)-ethyl)-oxalamide
<i>N</i> -(1 <i>S</i> -Benzyl-2-oxo-2-pyrrolidin-1-yl-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(octahydro-cyclopenta[c]pyrrol-5-ylmethoxy)-quinazolin-4-yloxy]-phenyl)- <i>N</i> -phenethyl-oxalamide
<i>N</i> -(2-(4-Amino-phenyl)-ethyl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
2-(4-Benzyl-piperidin-1-yl)- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-2-oxo-acetamide
<i>N</i> -(4-(6,7-Dimethoxy-quinolin-4-yloxy)-phenyl)- <i>N</i> -(4-fluoro-phenyl)-malonamide
<i>N</i> -(5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl)- <i>N</i> -(3-fluoro-phenyl)-malonamide
<i>N</i> -(5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl)- <i>N</i> -phenyl-malonamide
<i>N</i> -(5-Chloro-6-(6,7-dimethoxy-quinolin-4-yloxy)-pyridin-3-yl)- <i>N</i> -(4-fluoro-phenyl)-2,2-dimethyl-malonamide
<i>N</i> -Ethyl- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -isopropyl-oxalamide
<i>N</i> -Butyl- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-methoxy-ethyl)-oxalamide
<i>N</i> -Cyclopropylmethyl- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -(2-morpholin-4-yl-ethyl)-oxalamide
<i>N</i> -(3-Fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)-2-oxo-2-pyrrolidin-1-yl-acetamide
<i>N</i> -Ethyl- <i>N</i> -(3-fluoro-4-[6-methoxy-7-(piperidin-4-ylmethoxy)-quinolin-4-yloxy]-phenyl)- <i>N</i> -methyl-oxalamide
<i>N</i> -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- <i>N</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- <i>N</i> -(4-

fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- <i>N'</i> -(phenylmethyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- <i>N'</i> -phenylcyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methyloxy)-7-[(3-morpholin-4-ylpropyl]oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methyloxy)-7-[(3-piperidin-1-ylpropyl]oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methyloxy)-7-[(3-piperidin-1-ylpropyl]oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloropyridin-3-yl)- <i>N'</i> -(2-phenylethyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-2-methylpyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-[(7-chloroquinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-[(7-chloroquinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinazolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinazolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methyloxy)-7-[(3-morpholin-4-ylpropyl]oxy)quinazolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(5-chloro-6-((6-(methyloxy)-7-[(1-methylpiperidin-4-yl)methyl]oxy)quinolin-4-yl]oxy)pyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(5-chloro-6-((6-(methyloxy)-7-[(piperidin-4-yl)methyl]oxy)quinolin-4-yl]oxy)pyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(5-chloro-6-((6-(methyloxy)-7-[(phenylmethyl]oxy)quinolin-4-yl]oxy)pyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([7-([2-(diethylamino)ethyl]oxy)-6-(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([7-([2-(diethylamino)ethyl]oxy)-6-(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methyloxy)-7-[(1-methylpiperidin-4-yl)methyl]oxy)quinazolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-2-methylphenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(2-methyl-6-((6-(methyloxy)-7-[(3-morpholin-4-ylpropyl]oxy)quinolin-4-yl]oxy)pyridin-3-yl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(6-([6,7-bis(methyloxy)quinolin-4-yl]oxy)-5-chloro-2-methylpyridin-3-yl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((7-(methyloxy)-6-[(3-morpholin-4-ylpropyl]oxy)quinazolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide

<i>N</i> -(4-([6,7-bis(methoxy)quinolin-4-yl]oxy)-3,5-difluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methoxy)quinolin-4-yl]oxy)-2,5-difluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((7-(methoxy)-6-((3-morpholin-4-ylpropyl)oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methoxy)-7-(2-methyl octahydrocyclopenta[c]pyrrol-5-ylmethoxy)quinazolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((7-(methoxy)-6-((1-methylpiperidin-4-yl)methyl]oxy)quinazolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(5-fluoro-2-methyl-4-((6-(methoxy)-7-((3-morpholin-4-ylpropyl)oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methoxy)quinolin-4-yl]oxy)-2,3,5-trifluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methoxy)quinolin-4-yl]oxy)-5-fluoro-2-methylphenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methoxy)quinolin-4-yl]oxy)-2-chloro-5-methylphenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-([6-hydroxy-7-(methoxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(2-methyl-4-((6-(methoxy)-7-((3-morpholin-4-ylpropyl)oxy)quinolin-4-yl]oxy)phenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methoxy)-7-((3-piperazin-1-ylpropyl)oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methoxy)-7-([3-(4-methylpiperazin-1-yl)propyl]oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-((6-(methoxy)-7-((1-methylpiperidin-4-yl)methyl]oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(4-((6-(methoxy)-7-((3-morpholin-4-ylpropyl)oxy)quinolin-4-yl]oxy)phenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([7-([3-(diethylamino)propyl]oxy)-6-(methoxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methoxy)quinolin-4-yl]oxy)-2-chloro-5-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methoxy)-2-(methylthio)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-fluorophenyl)- <i>N'</i> -(4-([2-methyl-6,7-bis(methoxy)quinazolin-4-yl]oxy)phenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([2-amino-6,7-bis(methoxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-([2-(methylamino)-6,7-bis(methoxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
(1 <i>S</i> ,2 <i>R</i> )- <i>N</i> -(3-fluoro-4-((6-(methoxy)-7-((3-morpholin-4-ylpropyl)oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -(3-fluoro-4-((6-(methoxy)-7-((3-morpholin-4-ylpropyl)oxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6-([3-(diethylamino)propyl]oxy)-7-(methoxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide



<i>N</i> -(4-{{6-{{2-(diethylamino)ethyl}oxy}-7-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
1,1-dimethylethyl 4-(3-{{4-{{2-fluoro-4-{{1-{{(4-fluorophenyl)amino}carbonyl}cyclopropyl)carbonyl}amino}phenyl}oxy}-6-(methyloxy)quinolin-7-yl}oxy}propyl)piperazine-1-carboxylate
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -[3-fluoro-4-{{6-(methyloxy)-7-{{(3-morpholin-4-ylpropyl)oxy}quinazolin-4-yl}oxy}phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -(4-{{7-{{2-(diethylamino)ethyl}oxy}-6-(methyloxy)quinazolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{7-{{3-(diethylamino)propyl}oxy}-6-(methyloxy)quinazolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{7-{{3-(4-acetylpiperazin-1-yl)propyl}oxy}-6-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
1,1-dimethylethyl 4-(3-{{4-{{2-fluoro-4-{{((1 <i>R</i> ,2 <i>R</i> )-1-{{(4-fluorophenyl)amino}carbonyl}-2-methylcyclopropyl)carbonyl}amino}phenyl}oxy}-6-(methyloxy)quinolin-7-yl}oxy}propyl)piperazine-1-carboxylate
<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)-1-(phenylmethyl)azetidine-3,3-dicarboxamide
<i>N</i> -(4-{{6,7-bis(methyloxy)quinolin-4-yl}oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)azetidine-3,3-dicarboxamide
(1 <i>R</i> ,2 <i>S</i> )- <i>N</i> -[3-fluoro-4-{{6-(methyloxy)-7-{{3-(4-methylpiperazin-1-yl)propyl}oxy}quinolin-4-yl}oxy}phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -[3-fluoro-4-{{6-(methyloxy)-7-{{3-(4-methylpiperazin-1-yl)propyl}oxy}quinolin-4-yl}oxy}phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -[3-fluoro-4-{{6-(methyloxy)-7-{{3-piperazin-1-ylpropyl}oxy}quinolin-4-yl}oxy}phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(3-fluoro-4-{{7-{{3-{{4-(1-methylethyl)piperazin-1-yl}propyl}oxy)-6-(methyloxy)quinolin-4-yl}oxy}phenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{7-{{3-(diethylamino)propyl}oxy}-6-(methyloxy)quinazolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -(4-{{7-{{3-(diethylamino)propyl}oxy}-6-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -(4-{{7-{{2-(diethylamino)ethyl}oxy}-6-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>S</i> )- <i>N</i> -(4-{{7-{{3-(diethylamino)propyl}oxy}-6-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>S</i> )- <i>N</i> -(4-{{7-{{2-(diethylamino)ethyl}oxy}-6-(methyloxy)quinolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-{{7-{{2-(diethylamino)ethyl}oxy}-6-(methyloxy)quinazolin-4-yl}oxy}-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>S</i> )- <i>N</i> -[3-fluoro-4-{{6-(methyloxy)-7-{{3-piperazin-1-ylpropyl}oxy}quinolin-4-yl}oxy}phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i> )- <i>N</i> -[3-fluoro-4-{{6-(methyloxy)-7-{{3-morpholin-4-ylpropyl}oxy}quinolin-4-yl}oxy}phenyl]- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i> )- <i>N</i> -[3-fluoro-4-{{6-(methyloxy)-7-{{3-(4-methylpiperazin-1-yl)propyl}oxy}quinolin-4-yl}oxy}phenyl]- <i>N'</i> -(4-fluorophenyl)-2,3-

dimethylcyclopropane-1,1-dicarboxamide
(1R,2R,3S)-N-[3-fluoro-4-({6-(methoxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(1R,2R,3S)-N-[3-fluoro-4-({6-(methoxy)-7-[(3-(4-methylpiperazin-1-yl)propyl)oxy]quinazolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
N-[3-fluoro-4-({6-(methoxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(2R,3R)-N-[3-fluoro-4-({6-(methoxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(2R,3R)-N-[4-({7-[(3-(diethylamino)propyl)oxy]-6-(methoxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
N-[4-({7-[(3-(diethylamino)propyl)oxy]-6-(methoxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
N-[3-fluoro-4-({6-(methoxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
(1R,2R,3S)-N-[4-({7-[(3-(diethylamino)propyl)oxy]-6-(methoxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
N-[4-({7-[(2-(diethylamino)ethyl)oxy]-6-(methoxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
(1R,2R,3S)-N-[4-({7-[(2-(diethylamino)ethyl)oxy]-6-(methoxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
N-[3-fluoro-4-({6-(methoxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
N-[4-({7-[(2-(diethylamino)ethyl)oxy]-6-(methoxy)quinazolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
N-[4-({7-[(3-(diethylamino)propyl)oxy]-6-(methoxy)quinazolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2,2-dimethylcyclopropane-1,1-dicarboxamide
N-[4-({7-[(3-(diethylamino)propyl)oxy]-6-(methoxy)quinazolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
N-[3-fluoro-4-({6-(methoxy)-7-[(3-(4-methylpiperazin-1-yl)propyl)oxy]quinazolin-4-yl)oxy}phenyl)-N'-(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
N-[3-fluoro-4-({6-(methoxy)-7-[(3-piperazin-1-ylpropyl)oxy]quinazolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(2R,3R)-N-[3-fluoro-4-({6-(methoxy)-7-[(3-morpholin-4-ylpropyl)oxy]quinazolin-4-yl)oxy}phenyl]-N'-(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
N-[4-({7-[(3-(diethylamino)propyl)oxy]-6-(methoxy)quinolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
N-[3-fluoro-4-({6-(methoxy)-7-[(3-(4-methylpiperazin-1-yl)propyl)oxy]quinolin-4-yl)oxy}phenyl)-N'-(4-fluorophenyl)cyclobutane-1,1-dicarboxamide
(1R,2R)-N-[4-({7-[(3-(diethylamino)propyl)oxy]-6-(methoxy)quinazolin-4-yl]oxy}-3-fluorophenyl)-N'-(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(1R,2R)-N-[3-fluoro-4-({6-(methoxy)-7-[(3-(4-methylpiperazin-1-yl)propyl)oxy]quinazolin-4-yl)oxy}phenyl)-N'-(4-fluorophenyl)-2-

methylcyclopropane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i> )- <i>N</i> -(4-([7-([2-(diethylamino)ethyl]oxy)-6-(methyloxy)quinazolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i> )- <i>N</i> -(4-([7-([3-(diethylamino)propyl]oxy)-6-(methyloxy)quinazolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
(1 <i>R</i> ,2 <i>R</i> )- <i>N</i> -[3-fluoro-4-([6-(methyloxy)-7-([3-(piperazin-1-ylpropyl)oxy]quinazolin-4-yl]oxy)phenyl]- <i>N'</i> -(4-fluorophenyl)-2-methylcyclopropane-1,1-dicarboxamide
(2 <i>R</i> ,3 <i>R</i> )- <i>N</i> -(4-([7-([2-(diethylamino)ethyl]oxy)-6-(methyloxy)quinolin-4-yl]oxy)-3-fluorophenyl)- <i>N'</i> -(4-fluorophenyl)-2,3-dimethylcyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(4-fluorophenyl)methyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -(2-morpholin-4-ylmethyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -[2-(piperidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -[2-(pyrrolidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -[3-(morpholin-4-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -[2-(morpholin-4-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -phenylcyclopropane-1,1-dicarboxamide
<i>N</i> -[3-(aminomethyl)phenyl]- <i>N'</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)cyclopropane-1,1-dicarboxamide
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -[3-(piperidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide and
<i>N</i> -(4-([6,7-bis(methyloxy)quinolin-4-yl]oxy)phenyl)- <i>N'</i> -[3-(pyrrolidin-1-ylmethyl)phenyl]cyclopropane-1,1-dicarboxamide and
a single geometric isomer, stereoisomer, racemate, enantiomer, or diastereomer, thereof and optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

9. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an EGFR inhibitor.

10. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from Lapatinib (Tykerb®), gefitinib (Iressa®), erlotinib (Tarceva®), Zactima (ZD6474), AEE788, HKI-272, EKB-569, and C11033.

11. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from

<i>N</i> -(3,4-dichloro-2-fluorophenyl)-7-([3 <i>R</i> ,5 <i>r</i> ,6 <i>aS</i> )-2-(1-methylethyl)octahydrocyclopenta[ <i>c</i> ]pyrrol-5-yl]methyl]oxy)-6-(methyloxy)quinazolin-4-amine
<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-7-([3 <i>R</i> ,5 <i>r</i> ,6 <i>aS</i> )-2-(1-

methylethyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
7-(((3aR,5r,6aS)-2-acetyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-(((3aR,5r,6aS)-octahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)quinazolin-4-amine
ethyl (3aR,6aS)-5-(((4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]oxy)methyl)hexahydrocyclopenta[c]pyrrole-2(1H)-carboxylate
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-(((3aR,5r,6aS)-2-(methylsulfonyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3aR,5r,6aS)-2-ethyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-6-(methyloxy)-7-(((3aR,5r,6aS)-2-(2-methylpropyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-(((3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-(((3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-(((3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-(((3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-(((3aR,5s,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3aR,5r,6aS)-2-ethyloctahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-(((3aR,5r,6aS)-2-(2-methylpropyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-(((3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-(((3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-(((3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-(((3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-

c[1,4]oxazin-3-ylmethyl]oxy}-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-(((3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-((hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-(((3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-(((3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-(((3S,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3R,9aS)-hexahydro-1H-[1,4]oxazino[3,4-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-(((3R,8aR)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-(((3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-(((3S,8aR)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-(((3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-(((3R,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-(((3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-(((3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-(((3S,8aS)-hexahydro-1H-pyrrolo[2,1-c][1,4]oxazin-3-ylmethyl]oxy)-6-(methyloxy)quinazolin-4-amine
1,4,3,6-dianhydro-5-((4-((4-bromo-5-chloro-2-fluorophenyl)amino)-6-(methyloxy)quinazolin-7-yl]oxy)methyl)-5-deoxy-2-O-methyl-D-xylo-hexitol
1,4,3,6-dianhydro-5-deoxy-5-((4-((3,4-dichlorophenyl)amino)-6-(methyloxy)quinazolin-7-yl]oxy)methyl)-2-O-methyl-D-glucitol
1,4,3,6-dianhydro-5-deoxy-5-((4-((3,4-dichloro-2-fluorophenyl)amino)-6-(methyloxy)quinazolin-7-yl]oxy)methyl)-2-O-methyl-D-xylo-hexitol
1,4,3,6-dianhydro-5-((4-((4-bromo-3-chloro-2-fluorophenyl)amino)-6-(methyloxy)quinazolin-7-yl]oxy)methyl)-5-deoxy-2-O-methyl-D-xylo-hexitol

1,4,3,6-dianhydro-5-({[4-((3-chloro-2,4-difluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)-5-deoxy-2-O-methyl-D-xylo-hexitol
1,4,3,6-dianhydro-5-({[4-((4-bromo-2,3-dichlorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)-5-deoxy-2-O-methyl-D-glucitol
1,4,3,6-dianhydro-2-deoxy-2-({[4-((3,4-dichlorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)-5-O-methyl-D-threo-hexitol
1,4,3,6-dianhydro-5-deoxy-5-({[4-((4,5-dichloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)-2-O-methyl-D-glucitol
(3S,9aS)-3-({[4-((3,4-dichloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)hexahydro-2H-pyrido[1,2-a]pyrazin-1(6H)-one
(3S,9aR)-3-({[4-((3,4-dichloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)hexahydro-2H-pyrido[1,2-a]pyrazin-1(6H)-one
(3S,8aS)-3-({[4-((3,4-dichloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
(3S,8aR)-3-({[4-((3,4-dichloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
(3S,8aS)-3-({[4-((4-bromo-3-chloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)hexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
(3S,8aS)-3-({[4-((3,4-dichloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]oxy}methyl)-2-methylhexahydropyrrolo[1,2-a]pyrazin-1(2H)-one
N-(3,4-dichlorophenyl)-7-({[2-((8-methyl-8-azabicyclo[3.2.1]oct-3-yl)amino)ethyl]oxy}-6-(methoxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-6-(methoxy)-7-(((8aR)-tetrahydro-1H-[1,3]thiazolo[4,3-c][1,4]oxazin-6-ylmethyl)oxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({[2-(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)ethyl]oxy}-6-(methoxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({[(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)methyl]oxy}-6-(methoxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-({[(3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl]oxy}-6-(methoxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-[(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)oxy]-6-(methoxy)quinazolin-4-amine
1,4,3,6-dianhydro-2-O-[4-((4-bromo-5-chloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4,3,6-dianhydro-2-O-[4-((3,4-dichloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4,3,6-dianhydro-2-O-[4-((4-bromo-3-chloro-2-fluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4,3,6-dianhydro-2-O-methyl-5-O-({6-(methoxy)-4-((2,3,4-trichlorophenyl)amino)quinazolin-7-yl}-L-iditol
1,4,3,6-dianhydro-5-O-[4-((3,4-dichlorophenyl)amino)-6-(methoxy)quinazolin-7-yl]-2-O-methyl-D-xylo-hexitol
1,4,3,6-dianhydro-2-O-[4-((4-bromo-2,3-dichlorophenyl)amino)-6-(methoxy)quinazolin-7-yl]-5-O-methyl-L-iditol
1,4,3,6-dianhydro-5-O-[4-((4-bromo-3-chlorophenyl)amino)-6-(methoxy)quinazolin-7-yl]-L-sorbitol ethylene glycol acetal
1,4,3,6-dianhydro-2-O-[4-((3-chloro-2,4-difluorophenyl)amino)-6-(methoxy)quinazolin-7-yl]-5-O-methyl-L-iditol

1,4:3,6-dianhydro-2-O-[4-[(4,5-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-(difluoromethyl)-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3,4-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-ethyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3-bromo-2-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(3-chloro-2-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-L-idoitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-deoxy-D-xylo-hexitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-D-glucitol
methyl 3,6-anhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-O-methyl-alpha-L-idofuranoside
3,6-anhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-1,2-O-(1-methylethylidene)-beta-L-xylo-hexofuranose
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-deoxy-5-methylidene-D-xylo-hexitol
methyl 3,6-anhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-O-methyl-beta-L-idofuranoside
N-(3,4-dichloro-2-fluorophenyl)-6-(methyloxy)-7-[(octahydro-2H-quinolizin-3-yl)methyl]oxyquinazolin-4-amine
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[6-(methyloxy)-4-[(2,3,4-trifluorophenyl)amino]quinazolin-7-yl]-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-chloro-4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,6-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[(4-fluoro-3-(trifluoromethyl)phenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,5-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,3-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-idoitol

1,4:3,6-dianhydro-5-O-[4-[(5-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,5-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-5-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[6-(methyloxy)-4-[(2,4,5-trifluorophenyl)amino]quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[6-(methyloxy)-4-[(2,4,6-trifluorophenyl)amino]quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-[(4-chlorophenyl)oxy]-3,5-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2,3-dichlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chloro-5-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(4,5-dichloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[6-(methyloxy)-4-[(2,3,4-trichlorophenyl)amino]quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[6-(methyloxy)-4-[(3,4,5-trichlorophenyl)amino]quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-chloro-2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2-methylphenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-difluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itol
1,4:3,6-dianhydro-5-O-[4-[(2-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[(2-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-5-O-[4-[(3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[(4-fluorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-itol
1,4:3,6-dianhydro-5-O-[4-[(4-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-itol



1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,4-dichlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(2,5-dichlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,4-dichlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4,6-difluorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-chloro-3-(trifluoromethyl)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-chloro-5-(trifluoromethyl)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[(2-fluoro-3-(trifluoromethyl)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-bromo-5-(trifluoromethyl)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-bromo-4-(trifluoromethyl)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[(4-fluoro-2-(trifluoromethyl)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-bromo-5-(trifluoromethyl)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2-bromophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-bromophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-bromo-4-methylphenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(5-chloro-2-methylphenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[(3,5-dimethylphenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(2,5-bis(methoxy)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(5-chloro-2,4-bis(methoxy)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(4-chloro-2,5-bis(methoxy)phenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
1,4:3,6-dianhydro-5-O-[4-[(3-chloro-2,4-difluorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-D-idoitol
N-(4-bromo-3-chlorophenyl)-7-[[[(3a'S,4R,6'S,6a'R)-2,2-dimethyltetrahydrospiro[1,3-dioxolane-4,3'-furo[3,2-b]furan]-6'-yl]oxy]-6-(methoxy)quinazolin-4-amine
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-5-O-methyl-5-C-[(methoxy)methyl]-L-glucitol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-5-O-(methylsulfonyl)-L-glucitol

1,4:3,6-dianhydro-2-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-L-glucitol
1,4:3,6-dianhydro-2-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-S-methyl-5-thio-D-itolol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-morpholin-4-yl-D-itolol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(4-methylpiperazin-1-yl)-D-itolol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-pyrrolidin-1-yl-D-itolol
2-O-acetyl-1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-itolol
1,4:3,6-dianhydro-2-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-D-itolol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(methylsulfonyl)-D-itolol
2-amino-1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-D-itolol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(dimethylamino)-D-itolol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-(diethylamino)-D-itolol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-piperidin-1-yl-D-itolol
2-(acetyl-amino)-1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-D-itolol
1,4:3,6-dianhydro-2-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-O-methyl-5-C-(trifluoromethyl)-L-glucitol
1,4:3,6-dianhydro-5-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-2-deoxy-2-((methylsulfonyl)amino)-D-itolol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-6-(methyloxy)-4-[[4-(4-methylpiperazin-1-yl)phenyl]amino]quinazolin-7-yl]-D-itolol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-4-[[3-fluoro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-D-itolol
1,4:3,6-dianhydro-2-deoxy-5-O-4-[[2,3-dichloro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itolol
1,4:3,6-dianhydro-2-deoxy-5-O-4-[[3,4-dichloro-2-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methyloxy)quinazolin-7-yl]-2-fluoro-D-itolol
1,4:3,6-dianhydro-2-O-[[4-(4-bromo-3-chlorophenyl)amino]-6-(methyloxy)quinazolin-7-yl]-5-C-(trifluoromethyl)-D-glucitol
(3,4-dichlorophenyl)[6-(methyloxy)-7-((4-(tetrahydrofuran-2-yl)methyl)-1,4-oxazepan-2-yl)methyl]oxy]quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3aR,6aS)-2-(1-methylethyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3aR,6aS)-2-(1-methylethyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl]oxy)-6-(methyloxy)quinazolin-4-amine

7-(((3aR,6aS)-2-acetyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-(((3aR,6aS)-octahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)quinazolin-4-amine
ethyl (3aR,5r,6aS)-5-(((4-(4-bromo-3-chloro-2-fluorophenyl)amino)-6-(methyloxy)quinazolin-7-yl)oxy)methyl)hexahydrocyclopenta[c]pyrrole-2(1H)-carboxylate
N-(4-bromo-3-chloro-2-fluorophenyl)-6-(methyloxy)-7-(((3aR,6aS)-2-(methylsulfonyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3aR,6aS)-2-ethyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-6-(methyloxy)-7-(((3aR,6aS)-2-(2-methylpropyl)octahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichloro-2-fluorophenyl)-7-(((3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-(((3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(3-chloro-2,4-difluorophenyl)-7-(((3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-(((3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(4,5-dichloro-2-fluorophenyl)-7-(((3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-5-chloro-2-fluorophenyl)-7-(((3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-(((3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(4-bromo-2,3-dichlorophenyl)-7-(((3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-(((3aR,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine
N-(3,4-dichlorophenyl)-7-(((3aR,5r,6aS)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl)oxy)-6-(methyloxy)quinazolin-4-amine

<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-7-({((3 <i>aR</i> ,6 <i>aS</i> )-2-ethyloctahydrocyclopenta[ <i>c</i> ]pyrrol-5-yl)methyl}oxy)-6-(methoxy)quinazolin-4-amine
<i>N</i> -(4-bromo-3-chloro-2-fluorophenyl)-6-(methoxy)-7-({((3 <i>aR</i> ,6 <i>aS</i> )-2-(2-methylpropyl)octahydrocyclopenta[ <i>c</i> ]pyrrol-5-yl)methyl}oxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({2-({(3-endo)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl}amino)ethyl}oxy)-6-(methoxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({2-({(3-endo)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl}ethyl}oxy)-6-(methoxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({(3-endo)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl}methyl}oxy)-6-(methoxy)quinazolin-4-amine
<i>N</i> -(3,4-dichlorophenyl)-7-({(3-exo)-8-methyl-8-azabicyclo[3.2.1]oct-3-yl}oxy)-6-(methoxy)quinazolin-4-amine
1,1-dimethylethyl (3 <i>aR</i> ,6 <i>aS</i> )-5-({[4-(4-bromo-3-chloro-2-fluorophenyl)amino]-6-(methyl-oxy)quinazolin-7-yl}oxy)methyl)hexahydrocyclopenta[ <i>c</i> ]pyrrole-2(1 <i>H</i> )-carboxylate
1,1-dimethylethyl (3 <i>aR</i> ,6 <i>aS</i> )-5-({[4-({(3,4-dichloro-2-fluorophenyl)amino]-6-(methoxy)quinazolin-7-yl}oxy)methyl)hexahydrocyclopenta[ <i>c</i> ]pyrrole-2(1 <i>H</i> )-carboxylate
<i>N</i> -(3,4-dichloro-2-fluorophenyl)-6-(methoxy)-7-({[(3 <i>aR</i> ,5 <i>r</i> ,6 <i>aS</i> )-octahydrocyclopenta[ <i>c</i> ]pyrrol-5-yl]methyl}oxy)quinazolin-4-amine
7-({(3-endo)-8-azabicyclo[3.2.1]oct-3-ylmethyl}oxy)- <i>N</i> -(3,4-dichlorophenyl)-6-(methoxy)quinazolin-4-amine
1,1-dimethylethyl (3-endo)-3-({[4-({(3,4-dichlorophenyl)amino]-6-(methoxy)quinazolin-7-yl}oxy)ethyl]-8-azabicyclo[3.2.1]octane-8-carboxylate and 7-({2-({(3-endo)-8-azabicyclo[3.2.1]oct-3-yl}ethyl}oxy)- <i>N</i> -(3,4-dichlorophenyl)-6-(methoxy)quinazolin-4-amine
1,4:3,6-Dianhydro-5- <i>O</i> -[4-({(3,4-dichlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2- <i>O</i> -methyl-D-glucitol
3,6-Anhydro-5- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-1,2- <i>O</i> -(1-methylethylidene)- $\square$ -D-idofuranose
1,4:3,6-dianhydro-5- <i>O</i> -[4-({(3-chloro-2-fluorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-fluoro-L-iditol
1,4:3,6-dianhydro-2- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-5- <i>O</i> -(methylsulfonyl)-D-glucitol
1,4:3,6-dianhydro-2- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-D-glucitol
1,4:3,6-dianhydro-2- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-5- <i>S</i> -methyl-5-thio-L-iditol
1,4:3,6-dianhydro-5- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-morpholin-4-yl-L-iditol
1,4:3,6-dianhydro-5- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-(4-methylpiperazin-1-yl)-L-iditol
1,4:3,6-dianhydro-5- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-pyrrolidin-1-yl-L-iditol
2- <i>O</i> -acetyl-1,4:3,6-dianhydro-5- <i>O</i> -[4-({(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-L-iditol

1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-(methylsulfonyl)-L-iditol
2-amino-1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-(dimethylamino)-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-(diethylamino)-L-iditol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-piperidin-1-yl-L-iditol
2-(acetylamino)-1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-L-iditol
1,4:3,6-dianhydro-2-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-5-O-methyl-5-C-(trifluoromethyl)-D-glucitol
1,4:3,6-dianhydro-5-O-[4-[(4-bromo-3-chlorophenyl)amino]-6-(methoxy)quinazolin-7-yl]-2-deoxy-2-[(methylsulfonyl)amino]-L-iditol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-(6-(methoxy)-4-[[4-(4-methylpiperazin-1-yl)phenyl]amino]quinazolin-7-yl)-L-iditol
1,4:3,6-dianhydro-2-deoxy-2-fluoro-5-O-[4-[[3-fluoro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methoxy)quinazolin-7-yl]-L-iditol
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[[2,3-dichloro-4-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methoxy)quinazolin-7-yl]-2-fluoro-L-iditol and
1,4:3,6-dianhydro-2-deoxy-5-O-[4-[[3,4-dichloro-2-(4-methylpiperazin-1-yl)phenyl]amino]-6-(methoxy)quinazolin-7-yl]-2-fluoro-L-iditol and
a single geometric isomer, stereoisomer, racemate, enantiomer, or diastereomer, thereof and optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

12. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from *N*-(3,4-dichloro-2-fluorophenyl)-7-((3*aR*,5*aS*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl oxy)-6-(methoxy)quinazolin-4-amine; *N*-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3*aR*,5*aS*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl oxy)-6-(methoxy)quinazolin-4-amine; *N*-(3,4-dichloro-2-fluorophenyl)-7-(((3*aR*,5*aS*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl oxy)-6-(methoxy)quinazolin-4-amine; *N*-(4-bromo-3-chloro-2-fluorophenyl)-7-(((3*aR*,5*aS*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-yl)methyl oxy)-6-(methoxy)quinazolin-4-amine; and optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

13. The method of Claim 3 where one of the chemotherapeutic agent(s) is *N*-(3,4-dichloro-2-fluorophenyl)-7-((3*aR*,5*aS*,6*aS*)-2-methyloctahydrocyclopenta[c]pyrrol-5-

yl)methyl}oxy)-6-(methoxy)quinazolin-4-amine or optionally as a pharmaceutically acceptable salt, solvate, or hydrate thereof.

14. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from

(3Z)-3-[[5-(methoxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-5-[(1-phenylmethyl)pyrrolidin-3-yl]amino]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-3-yl)amino]-3-[[5-(methoxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methoxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1H-imidazol-2-yl(phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methoxy)-1H-benzimidazol-2-yl](4-(methoxy)phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[5-(methoxy)-1H-benzimidazol-2-yl](4-methylphenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(4-nitrophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(4-(methoxy)phenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[[5-(methoxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-5-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-aminophenyl)(1H-benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(4-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1H-imidazol-2-yl(4-methylphenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)oxy]-3-[[5-(methoxy)-1H-benzimidazol-2-yl](phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[1H-imidazol-2-yl(4-(methoxy)phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(4-fluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-fluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-nitrophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
3-((Z)-1H-benzimidazol-2-yl{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl}benzonitrile
(3Z)-3-[(3-aminophenyl)(1H-benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-(piperidin-4-ylamino)-1,3-

dihydro-2H-indol-2-one
3-((Z)-1H-benzimidazol-2-yl){5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl}benzenecarboximidamide
(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
2-(2-{2-[(Z)-{5-[(1-ethylpiperidin-4-yl)amino]-2-oxo-1,2-dihydro-3H-indol-3-ylidene)(phenyl)methyl]-1H-imidazol-4-yl}ethyl)-1H-isoindole-1,3(2H)-dione
(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-({1-[2-(dimethylamino)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-([1-(methylsulfonyl)piperidin-4-yl]amino)-1,3-dihydro-2H-indol-2-one
(3Z)-5-(8-azabicyclo[3.2.1]oct-3-ylamino)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(phenyl)methylidene]-5-({1-(phenylmethyl)piperidin-4-yl}oxy)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}oxy)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}oxy)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl[3-(methyloxy)phenyl]methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3,5-difluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)(methyl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)oxy]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(4-chlorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-benzimidazol-2-yl(3-fluorophenyl)methylidene]-5-({1-[2-(methyloxy)ethyl]piperidin-4-yl}amino)-1,3-dihydro-2H-indol-2-one

(3Z)-3-[(1 <i>H</i> -benzimidazol-2-yl)(4-fluorophenyl)methylidene]-5-[(1-[2-(methoxyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-chlorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(1 <i>H</i> -benzimidazol-2-yl)(3-fluoro-4-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(1 <i>H</i> -benzimidazol-2-yl)(4-fluoro-3-methylphenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-chloro-4-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3,4-difluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(5-chloro-1 <i>H</i> -benzimidazol-2-yl)(phenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(5-chloro-1 <i>H</i> -benzimidazol-2-yl)(3,5-difluorophenyl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-methylphenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-fluorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(1 <i>H</i> -imidazol-2-yl)(4-propylphenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(1 <i>H</i> -imidazol-2-yl)(4-(trifluoromethyl)phenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3E)-3-[(3,5-difluorophenyl)(5-fluoro-1 <i>H</i> -benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(5-fluoro-1 <i>H</i> -benzimidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-fluoro-4-methylphenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-[2-(methoxyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-methyl-1 <i>H</i> -imidazol-2-yl)(4-methylphenyl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-(trifluoromethyl)phenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(4-chlorophenyl)(1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluoro-4-methylphenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(1 <i>H</i> -imidazol-2-yl)[6-(trifluoromethyl)pyridin-3-yl)methylidene]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(1 <i>H</i> -imidazol-2-yl)(4-methylphenyl)methylidene]-5-[(1-[2-(methoxyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(3-fluorophenyl)(4-methyl-1 <i>H</i> -imidazol-2-yl)methylidene]-5-[(1-[2-(methoxyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2 <i>H</i> -indol-2-one
(3Z)-3-[(1 <i>H</i> -imidazol-2-yl)(4-(trifluoromethyl)phenyl)methylidene]-5-[(1-[2-



(methyloxy)ethyl]piperidin-4-yl)amino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(5-chloro-1H-benzimidazol-2-yl)(phenyl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,5-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-methyl-1H-imidazol-2-yl)(4-methylphenyl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,4-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-chloro-4-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-(piperidin-4-ylamino)-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-(2-piperidin-1-ylethyl)piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-(2-morpholin-4-ylethyl)piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-[2-(diethylamino)ethyl]piperidin-4-yl)amino]-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-(2-pyrrolidin-1-ylethyl)piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-imidazol-2-yl(4-methylphenyl)methylidene]-5-[(1-methylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-1,2,4-triazol-5-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
ethyl 2-[(Z)-(3-fluorophenyl)[5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-2-oxo-1,2-dihydro-3H-indol-3-ylidene]methyl]-4-methyl-1H-imidazole-5-carboxylate
(3Z)-3-[1H-imidazol-2-yl(phenyl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-imidazol-2-yl[4-(methyloxy)phenyl]methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-chlorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[3-fluoro-4-(trifluoromethyl)phenyl](1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-(methylsulfonyl)piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[1H-imidazol-2-yl(4-propylphenyl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(4-phenyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one

(3Z)-3-[(3-fluorophenyl)(4-phenyl-1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-fluoro-4-methylphenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(1H-imidazol-2-yl)[6-(trifluoromethyl)pyridin-3-yl]methylidene]-5-[(1-[2-(methyloxy)ethyl]piperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(3-fluorophenyl)(1H-1,2,4-triazol-5-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[2-fluoro-4-(trifluoromethyl)phenyl](1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-methyl-1H-imidazol-2-yl)(4-(trifluoromethyl)phenyl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-chlorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[3-fluoro-4-(trifluoromethyl)phenyl](4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3,4-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-chloro-4-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(4-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[(2-fluorophenyl)(1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-5-[(1-ethylpiperidin-4-yl)amino]-3-[[2-fluoro-4-(trifluoromethyl)phenyl](4-methyl-1H-imidazol-2-yl)methylidene]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(2,3-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(2,3-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(2,4-difluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(2,4-difluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-trifluoromethylphenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(3-trifluoromethylphenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(2,4-dichloro-5-fluorophenyl)(1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(2,4-dichloro-5-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one
(3Z)-3-[(4-chloro-2-fluorophenyl)(4-methyl-1H-imidazol-2-yl)methylidene]-5-[(1-ethylpiperidin-4-yl)amino]-1,3-dihydro-2H-indol-2-one and

a single geometric isomer, stereoisomer, racemate, enantiomer, or diastereomer, thereof and optionally as a pharmaceutically acceptable salt or hydrate thereof.

15. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an ErbB2 inhibitor.
16. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an HSP90 inhibitor.
17. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is selected from 17-AAG, 17-DMAG, Geldanamycin, 5-(2,4-dihydroxy-5-isopropylphenyl)-*N*-ethyl-4-(4-(morpholinomethyl)phenyl)isoxazole-3-carboxamide, and 6-chloro-9-((4-methoxy-3,5-dimethylpyridin-2-yl)methyl)-9*H*-purin-2-amine.
18. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is an IGF1R inhibitor.
19. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is a VEGFR inhibitor.
20. The method of Claim 3 where one or more of the chemotherapeutic agent(s) is a Raf inhibitor.
21. The method of Claim 3 where one of the chemotherapeutic agent(s) is sorafenib.
22. The method of Claim 3 where one of the chemotherapeutic agent(s) is selected from

6-(2-butyl-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-3-oxo-2-(2-phenylethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-2-[(4-(methyloxy)phenyl)methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-2-[(3-(methyloxy)phenyl)methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-{2-[(4-fluorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-3-oxo-2-phenyl-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-{2-[(3-bromophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-{2-[(4-bromophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-3-oxo-2-(3-phenylpropyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-{2-[(3,4-dichlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one

6-{1-hydroxy-2-[(4-methylphenyl)methyl]-3-oxo-2,3-dihydro-1H-isoindol-1-yl}-2H-1,4-benzoxazin-3(4H)-one
6-{2-[(4-chlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl}-2H-1,4-benzoxazin-3(4H)-one
6-[1-hydroxy-2-(1-methylethyl)-3-oxo-2,3-dihydro-1H-isoindol-1-yl]-2H-1,4-benzoxazin-3(4H)-one
methyl {5-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-yl]-1H-benzimidazol-2-yl} carbamate
6-{2-[(3,4-dimethylphenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl}-2H-1,4-benzoxazin-3(4H)-one
6-{2-[(4-chloro-3-(trifluoromethyl)phenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl}-2H-1,4-benzoxazin-3(4H)-one
6-{2-[(4-dimethylamino)phenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl}-2H-1,4-benzoxazin-3(4H)-one
6-{2-(3-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl}-2H-1,4-benzoxazin-3(4H)-one
6-[2-(4-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl]-2H-1,4-benzoxazin-3(4H)-one
6-[2-(3,4-dichlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl]-2H-1,4-benzoxazin-3(4H)-one
6-[1-hydroxy-2-(4-methylphenyl)-3-oxo-2,3-dihydro-1H-isoindol-1-yl]-2H-1,4-benzoxazin-3(4H)-one
3-{2-[(3,5-bis(methyloxy)phenyl)amino]-1H-benzimidazol-5-yl}-3-(methyloxy)-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-one
3-{2-[(3,5-bis(methyloxy)phenyl)amino]-1H-benzimidazol-5-yl}-2-(1-methylethyl)-3-(methyloxy)-2,3-dihydro-1H-isoindol-1-one
3-{2-[(3,5-bis(methyloxy)phenyl)amino]-1H-benzimidazol-5-yl}-3-hydroxy-2-phenyl-2,3-dihydro-1H-isoindol-1-one
3-{2-[(3,5-bis(methyloxy)phenyl)amino]-1H-benzimidazol-5-yl}-3-hydroxy-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-one
methyl {5-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-yl]-1-methyl-1H-benzimidazol-2-yl} carbamate
3-(1H-benzimidazol-5-yl)-3-hydroxy-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-one
5-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-yl]-N-methyl-1H-benzimidazole-2-carboxamide
3-hydroxy-3-(2-methyl-1H-benzimidazol-5-yl)-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-one
7-[1-hydroxy-3-oxo-2-(phenylmethyl)-2,3-dihydro-1H-isoindol-1-yl]-3,4-dihydroquinoxalin-2(1H)-one
7-[2-(3-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl]-3,4-dihydroquinoxalin-2(1H)-one
1,1-dimethylethyl 4-[(1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2H-1,4-benzoxazin-6-yl)-1,3-dihydro-2H-isoindol-2-yl)methyl]piperidine-1-carboxylate
6-(1-hydroxy-2-[(2-(methyloxy)phenyl)methyl]-3-oxo-2,3-dihydro-1H-isoindol-1-yl)-2H-1,4-benzoxazin-3(4H)-one
6-{2-[(3-chlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1H-isoindol-1-yl}-2H-1,4-benzoxazin-3(4H)-one

6-[2-[(2-chlorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-[(3-fluorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-[(2-bromophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-[(2-fluorophenyl)methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3-fluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-(3-iodophenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3-bromophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-(3-nitrophenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-[3-(methoxy)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-(3-methylphenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
3-hydroxy-3-(1 <i>H</i> -indol-5-yl)-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
methyl [6-[1-hydroxy-3-oxo-2-phenyl-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-1 <i>H</i> -benzimidazol-2-yl]carbamate
6-[2-(2-aminophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[[2-(3-phenyl-1,2,4-oxadiazol-5-yl)phenyl]carbonyl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[[2-(1 <i>H</i> -benzimidazol-2-yl)phenyl]carbonyl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-3-oxo-2-[[2-(trifluoromethyl)phenyl]methyl]-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-[[5-bromo-2-fluorophenyl]methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-[(3-nitrophenyl)methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-3-oxo-2-[[3-(trifluoromethyl)phenyl]methyl]-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(2-[[2,3-bis(methoxy)phenyl]methyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-[(3-iodophenyl)methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-3-oxo-2-[[3-[(trifluoromethyl)oxy]phenyl]methyl]-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-2-[[2-(methylthio)phenyl]methyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3,4-difluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-[3-(1-methylethyl)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one

6-(1-hydroxy-3-oxo-2-{3-[(trifluoromethyl)oxy]phenyl}-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-{1-hydroxy-3-oxo-2-[3-(trifluoromethyl)phenyl]-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzenesulfonamide
6-{2-[5-chloro-2-(methyloxy)phenyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-{2-[4-fluoro-3-(trifluoromethyl)phenyl]-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
3-hydroxy-3-(1 <i>H</i> -indol-6-yl)-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one
6-[2-(3-fluoro-5-iodophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3-aminophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3,5-difluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-{1-hydroxy-2-[3-(methylsulfonyl)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl}-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
ethyl 3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzoate
3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzonitrile
6-[2-(2-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3-amino-5-chlorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(5-chloro-2-methylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3-chloro-2-methylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3-ethylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(3-ethynylphenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[1-hydroxy-2-(3-hydroxyphenyl)-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-3-oxo-2-[3-(phenyloxy)phenyl]-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-(1-hydroxy-3-oxo-2-{3-[(phenylmethyl)oxy]phenyl}-2,3-dihydro-1 <i>H</i> -isoindol-1-yl)-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
3-[1-hydroxy-3-oxo-1-(3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazin-6-yl)-1,3-dihydro-2 <i>H</i> -isoindol-2-yl]benzamide
6-{1-hydroxy-2-[3-(hydroxymethyl)phenyl]-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
6-[2-(2-fluorophenyl)-1-hydroxy-3-oxo-2,3-dihydro-1 <i>H</i> -isoindol-1-yl]-2 <i>H</i> -1,4-benzoxazin-3(4 <i>H</i> )-one
3-hydroxy-3-[2-(methylamino)-1 <i>H</i> -benzimidazol-5-yl]-2-(phenylmethyl)-2,3-dihydro-1 <i>H</i> -isoindol-1-one